

# PageSpeed Insights

## Mobile



Main Navigation



56 / 100 Speed

Should Fix:

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 8 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### [Remove render-blocking JavaScript:](#)

- <http://n-atf.ir/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://n-atf.ir/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/js/superfish.js?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/js/jquery.cycle.min.js?ver=4.9.5>

## Mobile

- <http://n-atf.ir/wp-content/themes/book-rev-lite/js/modernizr.js?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/js/master.js?ver=4.9.5>

[Optimize CSS Delivery](#) of the following:

- <http://n-atf.ir/wp-content/themes/book-rev-lite/style.css?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/spyglass/style.css?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/css/framework.css?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/spyglass/style.css?ver=1.7.4>
- <http://fonts.googleapis.com/css?family=Arvo%3A400%2C700%2C400italic%2C700italic&ver=4.9.5>
- <http://fonts.googleapis.com/css?family=Titillium+Web%3A400%2C200%2C200italic%2C300%2C300italic%2C400italic%2C600%2C600italic%2C700%2C700italic&ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/css/responsive.css?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/css/font-awesome.min.css?ver=4.9.5>

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 510.6KiB (72% reduction).

- Compressing [http://n-atf.ir/wp-content/themes/spyglass/img/slider\\_bg2.jpg](http://n-atf.ir/wp-content/themes/spyglass/img/slider_bg2.jpg) could save 495.6KiB (72% reduction).
- Compressing <http://n-atf.ir/wp-content/themes/spyglass/img/user.png> could save 15KiB (98% reduction).

## Consider Fixing:

### Leverage browser caching

## Mobile

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://n-atf.ir/wp-content/themes/book-rev-lite/img/footerlogo.png> (expiration not specified)
- [http://n-atf.ir/wp-content/themes/book-rev-lite/img/snav\\_a.png](http://n-atf.ir/wp-content/themes/book-rev-lite/img/snav_a.png) (expiration not specified)
- [http://n-atf.ir/wp-content/themes/book-rev-lite/img/snav\\_n.png](http://n-atf.ir/wp-content/themes/book-rev-lite/img/snav_n.png) (expiration not specified)
- [http://n-atf.ir/wp-content/themes/spyglass/img/slider\\_bg2.jpg](http://n-atf.ir/wp-content/themes/spyglass/img/slider_bg2.jpg) (expiration not specified)
- <http://n-atf.ir/wp-content/themes/spyglass/img/user.png> (expiration not specified)

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 4.7KiB (29% reduction).

- Minifying <http://n-atf.ir/wp-content/themes/book-rev-lite/css/framework.css?ver=4.9.5> could save 1.9KiB (63% reduction) after compression.
- Minifying <http://n-atf.ir/wp-content/themes/book-rev-lite/style.css?ver=4.9.5> could save 1.7KiB (19% reduction) after compression.
- Minifying <http://n-atf.ir/wp-content/themes/spyglass/style.css?ver=1.7.4> could save 513B (29% reduction) after compression.
- Minifying <http://n-atf.ir/wp-content/themes/spyglass/style.css?ver=4.9.5> could save 513B (29% reduction) after compression.
- Minifying <http://n-atf.ir/wp-content/themes/book-rev-lite/css/responsive.css?ver=4.9.5> could save 180B (20% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and

## Mobile

execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.3KiB (32% reduction).

- Minifying <http://n-atf.ir/wp-content/themes/book-rev-lite/js/master.js?ver=4.9.5> could save 841B (42% reduction) after compression.
- Minifying <http://n-atf.ir/wp-content/themes/book-rev-lite/js/superfish.js?ver=4.9.5> could save 524B (23% reduction) after compression.



### 4 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

#### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 98 / 100 User Experience



Consider Fixing:

### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a href="http://n-atf.i...d8%a7/#respond">No Comments</a>` and 1 others are close to other tap targets final.
- The tap target `<a href="http://n-atf.i...d8%a7/#respond">No Comments</a>` and 1 others are close to other tap targets final.
- The tap target `<a href="http://n-atf.i...4%d8%af%d9%87/">بندي نشده</a>` and 9 others are close to other tap targets.



### 4 Passed Rules

### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

### Use legible font sizes

## Mobile

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop



62 / 100 Speed

Should Fix:

### Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 510.6KiB (72% reduction).

- Compressing [http://n-atf.ir/wp-content/themes/spyglass/img/slider\\_bg2.jpg](http://n-atf.ir/wp-content/themes/spyglass/img/slider_bg2.jpg) could save 495.6KiB (72% reduction).
- Compressing <http://n-atf.ir/wp-content/themes/spyglass/img/user.png> could save 15KiB (98% reduction).

Consider Fixing:

### Leverage browser caching

## Desktop

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://n-atf.ir/wp-content/themes/book-rev-lite/img/footerlogo.png> (expiration not specified)
- [http://n-atf.ir/wp-content/themes/book-rev-lite/img/snav\\_a.png](http://n-atf.ir/wp-content/themes/book-rev-lite/img/snav_a.png) (expiration not specified)
- [http://n-atf.ir/wp-content/themes/book-rev-lite/img/snav\\_n.png](http://n-atf.ir/wp-content/themes/book-rev-lite/img/snav_n.png) (expiration not specified)
- [http://n-atf.ir/wp-content/themes/spyglass/img/slider\\_bg2.jpg](http://n-atf.ir/wp-content/themes/spyglass/img/slider_bg2.jpg) (expiration not specified)
- <http://n-atf.ir/wp-content/themes/spyglass/img/user.png> (expiration not specified)

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 4.7KiB (29% reduction).

- Minifying <http://n-atf.ir/wp-content/themes/book-rev-lite/css/framework.css?ver=4.9.5> could save 1.9KiB (63% reduction) after compression.
- Minifying <http://n-atf.ir/wp-content/themes/book-rev-lite/style.css?ver=4.9.5> could save 1.7KiB (19% reduction) after compression.
- Minifying <http://n-atf.ir/wp-content/themes/spyglass/style.css?ver=1.7.4> could save 513B (29% reduction) after compression.
- Minifying <http://n-atf.ir/wp-content/themes/spyglass/style.css?ver=4.9.5> could save 513B (29% reduction) after compression.
- Minifying <http://n-atf.ir/wp-content/themes/book-rev-lite/css/responsive.css?ver=4.9.5> could save 180B (20% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and

execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.3KiB (32% reduction).

- Minifying <http://n-atf.ir/wp-content/themes/book-rev-lite/js/master.js?ver=4.9.5> could save 841B (42% reduction) after compression.
- Minifying <http://n-atf.ir/wp-content/themes/book-rev-lite/js/superfish.js?ver=4.9.5> could save 524B (23% reduction) after compression.

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 8 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://n-atf.ir/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://n-atf.ir/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/js/superfish.js?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/js/jquery.cycle.min.js?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/js/modernizr.js?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/js/master.js?ver=4.9.5>

[Optimize CSS Delivery](#) of the following:

- <http://n-atf.ir/wp-content/themes/book-rev-lite/style.css?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/spyglass/style.css?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/css/framework.css?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/spyglass/style.css?ver=1.7.4>
- <http://fonts.googleapis.com/css?family=Arvo%3A400%2C700%2C400italic%2C700italic&ver=4.9.5>



## Desktop

- <http://fonts.googleapis.com/css?family=Titillium+Web%3A400%2C200%2C200italic%2C300%2C300italic%2C400italic%2C600%2C600italic%2C700%2C700italic&ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/css/responsive.css?ver=4.9.5>
- <http://n-atf.ir/wp-content/themes/book-rev-lite/css/font-awesome.min.css?ver=4.9.5>



### 4 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

#### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).