

# PageSpeed Insights

## Mobile



68 / 100 Speed

Should Fix:

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 5 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### [Remove render-blocking JavaScript:](#)

- <http://youcode.ir/home/wp-content/cache/min/1/245df7485e533f66838329e9e06d982b.js>
- <https://cdnjs.cloudflare.com/ajax/libs/modernizr/2.8.3/modernizr.min.js?ver=3e0113fea8ed918d7f9a0f031893a8d4>
- <https://cdnjs.cloudflare.com/ajax/libs/slick-carousel/1.6.0/slick.min.js>
- <https://cdnjs.cloudflare.com/ajax/libs/jquery.colorbox/1.6.4/jquery.colorbox-min.js>

## Mobile

- <http://youcode.ir/home/wp-content/cache/min/1/3cc15a08cc3f33c97d13f427ef75dfb2.js>

[Optimize CSS Delivery](#) of the following:

- <http://youcode.ir/home/wp-content/cache/min/1/b5d177fc49312f771004d891f7ac93c5.css>
- <https://cdnjs.cloudflare.com/ajax/libs/normalize/5.0.0/normalize.min.css?ver=3e0113fea8ed918d7f9a0f031893a8d4>
- <http://maxcdn.bootstrapcdn.com/font-awesome/latest/css/font-awesome.min.css?ver=3e0113fea8ed918d7f9a0f031893a8d4>
- <https://cdnjs.cloudflare.com/ajax/libs/slick-carousel/1.6.0/slick.min.css?ver=3e0113fea8ed918d7f9a0f031893a8d4>
- <http://cdn.jsdelivr.net/fontawesome/4.7.0/css/font-awesome.min.css?ver=4.7.0>



### Consider Fixing:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://youcode.ir/home/wp-content/cache/min/1/245df7485e533f66838329e9e06d982b.js> (3 seconds)
- <http://youcode.ir/home/wp-content/cache/min/1/3cc15a08cc3f33c97d13f427ef75dfb2.js> (3 seconds)
- <http://youcode.ir/home/wp-content/cache/min/1/b5d177fc49312f771004d891f7ac93c5.css> (3 seconds)

## Optimize images

Properly formatting and compressing images can save many bytes of data.

## Mobile

[Optimize the following images](#) to reduce their size by 59.5KiB (40% reduction).

- Compressing <http://youcode.ir/home/wp-content/uploads/2018/01/benita1.jpg> could save 39KiB (37% reduction).
- Compressing <http://fraud.anetwork.ir/pixel.gif?524186077992> could save 15.9KiB (99% reduction).
- Compressing <http://youcode.ir/home/wp-content/uploads/2018/01/gap-messenger.jpg> could save 4.6KiB (17% reduction).

## Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 58% of the final above-the-fold content could be rendered with the full HTML response snapshot:11.



6 Passed Rules

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

## Enable compression

You have compression enabled. Learn more about [enabling compression](#).

# Mobile

## Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

## Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

## Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

## Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

## 91 / 100 User Experience

### Consider Fixing:

## Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 439 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element `<li class="cat-item cat-item-933">زبان آموزش PHP</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-1008">زبان اسکرپت جاوا Js</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-209">#C شارپ سی زبان</li>` falls outside the viewport.

## Mobile

- The element `<li class="cat-item cat-item-81">Excel اکسل آموزش</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-95">PowerPoint پاورپوینت آموزش</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-47">Word پرداز واژه آموزش</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-680">Notepad ++ افزار نرم</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-36">CSS آموزش</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-35">HTML آموزش</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-46">سازي بهينه و سئو آموزش</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-691">Cpanel پنل سی آموزش</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-38">وب اصول و مبانی</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-154">سایت طراحی کار نمونه</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-18">فناوری های تازه</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-21">اندروید عامل سیستم</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-383">لینوکس عامل سیستم</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-375">ویندوز عامل سیستم</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-652">وردپرس های افزونه</li>` falls outside the viewport.
- The element `<li class="cat-item cat-item-908">وردپرس هک کدهای</li>` falls outside the viewport.
- The element `<div class="big-last-post yt-block-widgets">زبان در...نم HTML آموزش HTML3</div>` falls outside the viewport.
- The element `<div class="big-last-post yt-block-widgets">آید0 می کارتان...نما CSS آموزش</div>` falls outside the viewport.

# Mobile

## Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<label for="change-style">` is close to 1 other tap targets final.
- The tap target `<a href="http://youcode...-%d9%88%d8%a8/">` وب اصول و مبانی `</a>` and 16 others are close to other tap targets final.
- The tap target `<a href="http://youcode...ebsite-design/" class="txt-shadow">` طراحی چرا `</a>` .final targets tap other to close are others 7 and `<a/>` ساید...نش گرا مهم است؟
- The tap target `<a href="http://youcode...d8%b3%db%8c-2/">` نویسی برنامه آموزش `</a>` and 27 others are close to other tap targets.
- The tap target `<a href="http://youcode...d8%b3%db%8c-2/">` نویسی برنامه آموزش `</a>` and 35 others are close to other tap targets.
- The tap target `<a href="http://youcode...esign/#respond">` . `</a>` and 14 others are close to other tap targets.
- The tap target `<a href="#" class="like-post">0</a>` and 6 others are close to other tap targets.
- The tap target `<a href="http://iwmf.ir...ent=b-top-left">` `</a>` is close to 1 other tap targets final.



3 Passed Rules

## Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

## Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all

## Mobile

devices. Learn more about [configuring viewports](#).

## Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop



72 / 100 Speed

Should Fix:

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 258.1KiB (65% reduction).

- Compressing and resizing <http://youcode.ir/home/wp-content/uploads/2018/01/benita1.jpg> could save 91.4KiB (86% reduction).
- Compressing and resizing <http://youcode.ir/home/wp-content/uploads/2018/01/hide-file.jpg> could save 41.2KiB (74% reduction).
- Compressing and resizing <http://youcode.ir/home/wp-content/uploads/2018/01/sandwich-1.jpg> could save 39.8KiB (82% reduction).
- Compressing <http://beta.kaprila.com/a/page-images/cacc725d85ba990e0a7c297f86577bdda>

## Desktop

1066b55.jpg?url=https://cdn.kaprila.com/resources/images/faradars/special/winter-96/special-winter-1.jpg could save 23.1KiB (51% reduction).

- Compressing <http://beta.kaprila.com/a/page-images/58619f8a83539a2f70169d75f5f351e35d2f30a6.jpg?url=http://cdn.kaprila.com/resources/images/faradars/special/winter-96/special-winter-real-5.jpg> could save 22.8KiB (42% reduction).
- Compressing <http://fraud.anetwork.ir/pixel.gif?174842144338> could save 15.9KiB (99% reduction).
- Compressing <http://youcode.ir/home/wp-content/uploads/2018/01/gap-messenger.jpg> could save 4.6KiB (17% reduction).
- Compressing and resizing <http://youcode.ir/home/wp-content/uploads/2017/12/Hack-Password--150x150.jpg> could save 4.5KiB (70% reduction).
- Compressing and resizing <http://youcode.ir/home/wp-content/uploads/2017/12/google-search-1-150x150.jpg> could save 4KiB (68% reduction).
- Compressing <http://beta.kaprila.com/a/page-images/d7a58baa10b309086f8adc49bd186cec632df645.png?url=https://blog.faradars.org/wp-content/uploads/2016/02/how-to-start-web-programmnig.png> could save 3.7KiB (27% reduction).
- Compressing and resizing [http://youcode.ir/home/wp-content/uploads/2017/12/3534570\\_319-150x150.jpg](http://youcode.ir/home/wp-content/uploads/2017/12/3534570_319-150x150.jpg) could save 3.6KiB (68% reduction).
- Compressing <http://beta.kaprila.com/a/images/kaprila-icon-32.png> could save 2.7KiB (67% reduction).
- Compressing <http://beta.kaprila.com/a/images/refresh32.png> could save 1,000B (48% reduction).



### Consider Fixing:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://youcode.ir/home/wp-content/cache/min/1/245df7485e533f66838329e9e06d982b.js> (3 seconds)
- <http://youcode.ir/home/wp-content/cache/min/1/3cc15a08cc3f33c97d13f427ef75dfb2.js> (3 seconds)



## Desktop

- <http://youcode.ir/home/wp-content/cache/min/1/b5d177fc49312f771004d891f7ac93c5.css> (3 seconds)
- <http://www.google-analytics.com/analytics.js> (2 hours)
- <https://js-agent.newrelic.com/nr-1071.min.js> (2 hours)

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 394B (19% reduction).

- Minifying <http://beta.kaprila.com/a/templates/static-post-magnet/asset/mix.css?1> could save 394B (19% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 549B (25% reduction).

- Minifying <http://beta.kaprila.com/a/templates/static-post-magnet/asset/behave.js> could save 549B (25% reduction) after compression.

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 5 blocking CSS resources. This causes a delay in rendering your page.

## Desktop

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://youcode.ir/home/wp-content/cache/min/1/245df7485e533f66838329e9e06d982b.js>
- <https://cdnjs.cloudflare.com/ajax/libs/modernizr/2.8.3/modernizr.min.js?ver=3e0113fea8ed918d7f9a0f031893a8d4>
- <https://cdnjs.cloudflare.com/ajax/libs/slick-carousel/1.6.0/slick.min.js>
- <https://cdnjs.cloudflare.com/ajax/libs/jquery.colorbox/1.6.4/jquery.colorbox-min.js>
- <http://youcode.ir/home/wp-content/cache/min/1/3cc15a08cc3f33c97d13f427ef75dfb2.js>

### [Optimize CSS Delivery](#) of the following:

- <http://youcode.ir/home/wp-content/cache/min/1/b5d177fc49312f771004d891f7ac93c5.css>
- <https://cdnjs.cloudflare.com/ajax/libs/normalize/5.0.0/normalize.min.css?ver=3e0113fea8ed918d7f9a0f031893a8d4>
- <http://maxcdn.bootstrapcdn.com/font-awesome/latest/css/font-awesome.min.css?ver=3e0113fea8ed918d7f9a0f031893a8d4>
- <https://cdnjs.cloudflare.com/ajax/libs/slick-carousel/1.6.0/slick.min.css?ver=3e0113fea8ed918d7f9a0f031893a8d4>
- <http://cdn.jsdelivr.net/fontawesome/4.7.0/css/font-awesome.min.css?ver=4.7.0>

## Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 39% of the final above-the-fold content could be rendered with the full HTML response snapshot:11.



## 4 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).